# *JNMT*
# 1980 Subject Index


**Abdomen**
Multiple radiopharmaceutical approach to situs inversus, 118
**Accessory, imaging**
Accessory for estimating organ size from gamma camera images, 211
**Accreditation**
Nuclear medicine technology programs accredited by Joint Review Committee, 100
**Accuracy**
Interobserver variability in left ventricular ejection fraction calculation from equilibrium gated blood pools, 122
Radionuclide assessment of right ventricular ejection fraction using pre-processed multiple gated equilibrium scintigraphy, 122
**Artifact**
Delineated radiocolloid hepatic "hot spot" with superior vena caval obstruction, 30
Determining cause of NaI crystal breakage, 44
Effect of technetium-99m on a computerized tomography scan, 231
Significance of photon-deficient areas in radionuclide bone scans, 208
**Bar pattern**
Evaluation of three different pinhole apertures for large field of view cameras, 125
**Blood compatibility**
In vivo cross match using Cr-51 labeled red blood cells, 127
Retrospective look at in vivo cross match, 127
**Blood pool imaging**
Cost control and effective utilization of tin pyrophosphate for high quality blood pool scintigraphy, 128
**Blood pool scan**
In vivo labeling of Tc-99m-pyrophosphate to red blood cells, 127
**Bone**
Extra-pulmonary accumulation of xenon-133 gas, 158
Knee osteonecrosis—study of 8 cases and review of literature, 124
Magnification scintigraphy—improved detection and localization of bony abnormalities in back and hip pain, 123
Significance of photon-deficient areas in radionuclide bone scans, 208
**Bone, blood pool**
Three phase orthopedic bone scanning, 124
**Bone marrow**
Extra-pulmonary accumulation of xenon-133 gas, 158
**Bone, metabolic disease**
Quantitation of 24 hour skeletal uptake of Tc-99m MDP—new approach, 124
**Bone, necrosis**
Quantification of aseptic bone necrosis in lupus patients, 124
**Bone, radionuclide angiogram**
Quantitation of 24 hour skeletal uptake of Tc-99m MDP—new approach, 124
**Book review**
*An Introduction to Radiation Dosimetry*, 51
*Cardiac Nuclear Medicine*, 178
*Fundamentals of Nuclear Pharmacy*, 120
*Human Anatomy and Physiology*, 178
*ICRU Report 32: Methods of Assessment of Absorbed Dose in Clinical Use of Radionuclides*, 241
*ICRU Report 33: Radiation Quantities and Units*, 241
*Medical Imaging Techniques*, 50
*NCRP Report No. 58: A Handbook of Radioactivity Measurements and Procedures*, 50
*Nuclear Medicine for the General Physician*, 120
*Nuclear Medicine in Urology and Nephrology*, 241
*Nuclear Medicine Review Syllabus*, 120
*Radiopharmaceuticals II: Proceedings of the Second International Symposium on Radiopharmaceuticals*, 178
*Textbook of Nuclear Medicine: Clinical Applications*, 50
*The Heritage of Nuclear Medicine*, 50
**Breast**
Internal mammary lymphoscintigraphy: a technical viewpoint, 203
**Camera, accessory**
Determination of left ventricular ejection fraction with noncomputerized cardiac module, 121
**Camera, mobile**
Cardiac tomography using rotating slant hole collimator and portable camera, 121
**Camera, scintillation**
Accessory for estimating organ size from gamma camera images, 211
A small scintillation camera for imaging in one dimension, 213
Gamma camera image recording on video cassette, 216
**Camera, single-pass collimator**
Quantitation of 24 hour skeletal uptake of Tc-99m MDP—new approach, 124
**Cardiac module**
Determination of left ventricular ejection fraction with noncomputerized cardiac module, 121
**Cerebrospinal fluid spaces**
Radionuclide ventriculography, 127
**Chromatography**
Design and validation of a radiochromatogram scanner with analog and digital output, 222
**Chromium-51**
In vivo cross match using Cr-51 labeled red blood cells, 127
Retrospective look at in vivo cross match, 127
Washing red blood cells, 127
**Clinical evaluation**
Multiple radiopharmaceutical approach to situs inversus, 118
**Collimator, pinhole**
Evaluation of three different pinhole apertures for large field of view cameras, 125
**Collimator, slant hole**
Cardiac tomography using rotating slant hole collimator and portable camera, 121
**Computer**
A simple inexpensive technique for making slides, 233
Improved hard copy images with computer driven video image formatter, 124
Production of dynamic persistence displays using a computer, 162
Radionuclide first transit and R-wave synchronized imaging: determining left ventricular ejection fraction with contrast angiography, 155
**Crystal**
Determining cause of NaI crystal breakage, 44
**Data processing**
Effect of technetium-99m on a computerized tomography scan, 231
Gamma camera image recording on video cassette, 216
Multichannel analyzer interface for rectilinear scanner, 97
Production of dynamic persistence displays using a computer, 162
Radionuclide first transit and R-wave synchronized imaging: determining left ventricular ejection fraction with contrast angiography, 155
**Departmental operations**
Demographic study of graduates from NMT training program, 47
Nuclear medicine technologists—where have they gone? 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 245 (le)
Systematic procedure for radioactive waste disposal, 40
**Display, color**
A simple inexpensive technique for making slides, 233
**Ear**
Ventilation and clearance of sinus and middle ear using xenon-133, 23
**Editorial**
Choice critics, 85
Judging a book by its cover... 21
On writing well—and topically, 154
Reporting on government affairs, 202
**Education**
A simple inexpensive technique for making slides, 233
Cardiovascular nuclear medicine in CCU, 121
Delineated radiocolloid hepatic "hot spot" with superior vena caval obstruction, 30
Demographic study of graduates from NMT training program, 47
Interobserver variability in left ventricular ejection fraction calculation from equilibrium gated blood pools, 122
JNMT style manual, 168
Multiplane tomographic imaging of pancreas, 28
Nuclear medicine technologists—where have they gone? 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 245 (le)
Nuclear medicine technology programs accredited by Joint Review Committee, 100
**Ejection fraction**
Radionuclide first transit and R-wave synchronized imaging: determining left ventricular ejection fraction with contrast angiography, 155

# *JNMT*
# 1980 Subject Index


**Abdomen**
Multiple radiopharmaceutical approach to situs inversus, 118
**Accessory, imaging**
Accessory for estimating organ size from gamma camera images, 211
**Accreditation**
Nuclear medicine technology programs accredited by Joint Review Committee, 100
**Accuracy**
Interobserver variability in left ventricular ejection fraction calculation from equilibrium gated blood pools, 122
Radionuclide assessment of right ventricular ejection fraction using pre-processed multiple gated equilibrium scintigraphy, 122
**Artifact**
Delineated radiocolloid hepatic "hot spot" with superior vena caval obstruction, 30
Determining cause of NaI crystal breakage, 44
Effect of technetium-99m on a computerized tomography scan, 231
Significance of photon-deficient areas in radionuclide bone scans, 208
**Bar pattern**
Evaluation of three different pinhole apertures for large field of view cameras, 125
**Blood compatibility**
In vivo cross match using Cr-51 labeled red blood cells, 127
Retrospective look at in vivo cross match, 127
**Blood pool imaging**
Cost control and effective utilization of tin pyrophosphate for high quality blood pool scintigraphy, 128
**Blood pool scan**
In vivo labeling of Tc-99m-pyrophosphate to red blood cells, 127
**Bone**
Extra-pulmonary accumulation of xenon-133 gas, 158
Knee osteonecrosis—study of 8 cases and review of literature, 124
Magnification scintigraphy—improved detection and localization of bony abnormalities in back and hip pain, 123
Significance of photon-deficient areas in radionuclide bone scans, 208
**Bone, blood pool**
Three phase orthopedic bone scanning, 124
**Bone marrow**
Extra-pulmonary accumulation of xenon-133 gas, 158
**Bone, metabolic disease**
Quantitation of 24 hour skeletal uptake of Tc-99m MDP—new approach, 124
**Bone, necrosis**
Quantification of aseptic bone necrosis in lupus patients, 124
**Bone, radionuclide angiogram**
Quantitation of 24 hour skeletal uptake of Tc-99m MDP—new approach, 124
**Book review**
*An Introduction to Radiation Dosimetry*, 51
*Cardiac Nuclear Medicine*, 178
*Fundamentals of Nuclear Pharmacy*, 120
*Human Anatomy and Physiology*, 178
*ICRU Report 32: Methods of Assessment of Absorbed Dose in Clinical Use of Radionuclides*, 241
*ICRU Report 33: Radiation Quantities and Units*, 241
*Medical Imaging Techniques*, 50
*NCRP Report No. 58: A Handbook of Radioactivity Measurements and Procedures*, 50
*Nuclear Medicine for the General Physician*, 120
*Nuclear Medicine in Urology and Nephrology*, 241
*Nuclear Medicine Review Syllabus*, 120
*Radiopharmaceuticals II: Proceedings of the Second International Symposium on Radiopharmaceuticals*, 178
*Textbook of Nuclear Medicine: Clinical Applications*, 50
*The Heritage of Nuclear Medicine*, 50
**Breast**
Internal mammary lymphoscintigraphy: a technical viewpoint, 203
**Camera, accessory**
Determination of left ventricular ejection fraction with noncomputerized cardiac module, 121
**Camera, mobile**
Cardiac tomography using rotating slant hole collimator and portable camera, 121
**Camera, scintillation**
Accessory for estimating organ size from gamma camera images, 211
A small scintillation camera for imaging in one dimension, 213
Gamma camera image recording on video cassette, 216
**Camera, single-pass collimator**
Quantitation of 24 hour skeletal uptake of Tc-99m MDP—new approach, 124
**Cardiac module**
Determination of left ventricular ejection fraction with noncomputerized cardiac module, 121
**Cerebrospinal fluid spaces**
Radionuclide ventriculography, 127
**Chromatography**
Design and validation of a radiochromatogram scanner with analog and digital output, 222
**Chromium-51**
In vivo cross match using Cr-51 labeled red blood cells, 127
Retrospective look at in vivo cross match, 127
Washing red blood cells, 127
**Clinical evaluation**
Multiple radiopharmaceutical approach to situs inversus, 118
**Collimator, pinhole**
Evaluation of three different pinhole apertures for large field of view cameras, 125
**Collimator, slant hole**
Cardiac tomography using rotating slant hole collimator and portable camera, 121
**Computer**
A simple inexpensive technique for making slides, 233
Improved hard copy images with computer driven video image formatter, 124
Production of dynamic persistence displays using a computer, 162
Radionuclide first transit and R-wave synchronized imaging: determining left ventricular ejection fraction with contrast angiography, 155
**Crystal**
Determining cause of NaI crystal breakage, 44
**Data processing**
Effect of technetium-99m on a computerized tomography scan, 231
Gamma camera image recording on video cassette, 216
Multichannel analyzer interface for rectilinear scanner, 97
Production of dynamic persistence displays using a computer, 162
Radionuclide first transit and R-wave synchronized imaging: determining left ventricular ejection fraction with contrast angiography, 155
**Departmental operations**
Demographic study of graduates from NMT training program, 47
Nuclear medicine technologists—where have they gone? 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 245 (le)
Systematic procedure for radioactive waste disposal, 40
**Display, color**
A simple inexpensive technique for making slides, 233
**Ear**
Ventilation and clearance of sinus and middle ear using xenon-133, 23
**Editorial**
Choice critics, 85
Judging a book by its cover... 21
On writing well—and topically, 154
Reporting on government affairs, 202
**Education**
A simple inexpensive technique for making slides, 233
Cardiovascular nuclear medicine in CCU, 121
Delineated radiocolloid hepatic "hot spot" with superior vena caval obstruction, 30
Demographic study of graduates from NMT training program, 47
Interobserver variability in left ventricular ejection fraction calculation from equilibrium gated blood pools, 122
JNMT style manual, 168
Multiplane tomographic imaging of pancreas, 28
Nuclear medicine technologists—where have they gone? 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 245 (le)
Nuclear medicine technology programs accredited by Joint Review Committee, 100
**Ejection fraction**
Radionuclide first transit and R-wave synchronized imaging: determining left ventricular ejection fraction with contrast angiography, 155

**Film**
A simple inexpensive technique for making slides, 233
**Film processing**
Flood replenishment for nuclear medicine film processors, 125
**Flood field**
Flood images under clinical conditions, 57 (le)
Uniformity correction circuitry: effects of extraneous acquisition errors, 125
**Fluorine-18-fluorodeoxyglucose**
Quantitative scanning technique using positron computed tomography, 123
**Gastrointestinal tract**
Modification of the Schilling test for pediatric studies, 165
**Gastrointestinal tract, gastric emptying**
Technique of dual radionuclide gastric scintigraphy (liquid-solid gastric radionuclide emptying), 126
**Government regulations**
Proposed federal regulations affecting nuclear medicine technologists, 243 (le)
Proposed federal regulations affecting nuclear medicine technologists (reply), 243 (le)
**Heart**
Cardiovascular nuclear medicine in CCU, 121
Radionuclide first transit and R-wave synchronized imaging: determining left ventricular ejection fraction with contrast angiography, 155
**Heart, positioning**
Method for obtaining reproduceable thallium myocardial tomograms, 122
Positioning for 7 pinhole cardiac tomography, 122
Predicting anatomic location of coronary artery obstruction by quantitative stress thallium scintigraphy, 122
**Hemorrhage, gastrointestinal**
Detection and localization of active GI hemorrhage with Tc-99m sulfur colloid, 125
Scanning for GI bleeding with Tc-99m-sulfur colloid, 126
**Hepatobiliary system**
Multiple radiopharmaceutical approach to situs inversus, 118
**Image recording**
Gamma camera image recording on video cassette, 216
**Images, hard copy**
Improved hard copy images with computer driven video image formatter, 124
**Images, video format**
Improved hard copy images with computer driven video image formatter, 124
**Indium-111-DTPA**
Radionuclide ventriculography, 127
Technique of dual radionuclide gastric scintigraphy (liquid-solid gastric radionuclide emptying), 126
**Instrumentation**
A small scintillation camera for imaging in one dimension, 213
Design and validation of a radiochromatogram scanner with analog and digital output, 222
Determining cause of NaI crystal breakage, 44
Gamma camera image recording on video cassette, 216
Multichannel analyzer interface for rectilinear scanner, 97
**In vivo cross match**
In vivo cross match using Cr-51 labeled red blood cells, 127
**In vivo labeling**
Cost control and effective utilization of tin pyrophosphate for high quality blood pool scintigraphy, 128
In vivo labeling of Tc-99m-pyrophosphate to red blood cells, 127
**Iodine-125**
A small scintillation camera for imaging in one dimension, 213
**Iodine-131**
Hazards of I-131 use, 57 (le)
Hazards of I-131 use (reply), 57 (le)
Precaution for minimizing radiation exposure from iodine vaporization, 90
**Iodine-131-iodohippurate**
Cost control and effective utilization of tin pyrophosphate for high quality blood pool scintigraphy, 128
**Joint**
Significance of photon-deficient areas in radionuclide bone scans, 208
**Kidney**
Production of dynamic persistence displays using a computer, 162
**Kidney, glomerular filtration rate**
Clinically proven technique for determination of effective renal plasma flow and glomerular filtration rate, 128
**Kidney, renal plasma flow**
Clinically proven technique for determination of effective renal plasma flow and glomerular filtration rate, 128
**Left ventricular ejection fraction**
Determination of left ventricular ejection fraction with noncomputerized cardiac module, 121
Interobserver variability in left ventricular ejection fraction calculation from equilibrium gated blood pools, 122
**Left ventricular wall motion**
Determination of left ventricular ejection fraction with noncomputerized cardiac module, 121
**Licensing**
Demographic study of graduates from NMT training program, 47
Nuclear medicine technologists—where have they gone? 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 244 (le)
Nuclear medicine technologists—where have they gone? (reply), 245 (le)
**Liver**
Accessory for estimating organ size from gamma camera images, 211
Delineated radiocolloid hepatic "hot spot" with superior vena caval obstruction, 30
Multiple radiopharmaceutical approach to situs inversus, 118
**Liver, perfusion mapping**
Hepatic perfusion mapping using Tc-99m-MAA, 126
**Lung**
Extra-pulmonary accumulation of xenon-133 gas, 158
Methodology for preparing pediatric dose of Tc-99m MAA for pulmonary perfusion studies, 94
Tc-99m MAA: desired number of particles for pulmonary perfusion studies, 33
**Lymph node**
Internal mammary lymphoscintigraphy: a technical viewpoint, 203
**Molybdenum-99**
Systematic procedure for radioactive waste disposal, 40
**Nitrogen-13-ammonia**
Quantitative scanning technique using positron computed tomography, 123
**NMT training programs**
Nuclear medicine technology programs accredited by Joint Review Committee, 100
**Osteonecrosis, etiologic factors**
Knee osteonecrosis—study of 8 cases and review of literature, 124
**Pancreas**
Multiplane tomographic imaging of pancreas, 28
**Particles**
Tc-99m MAA: desired number of particles for pulmonary perfusion studies, 33
**Patient care**
The phantom patient, 177
**Patient communications**
Hazards of I-131 use (reply), 57 (le)
Internal mammary lymphoscintigraphy: a technical viewpoint, 203
The phantom patient, 177
**Patient position**
Cardiovascular nuclear medicine in CCU, 121
Quantification of aseptic bone necrosis in lupus patients, 124
**Pediatric dose**
Methodology for preparing pediatric dose of Tc-99m MAA for pulmonary perfusion studies, 94
**Pediatrics**
Modification of the Schilling test for pediatric studies, 165
**Phantom**
Accessory for estimating organ size from gamma camera images, 211
Cardiac tomography using rotating slant hole collimator and portable camera, 121
Evaluation of three different pinhole apertures for large field of view cameras, 125
Flood images under clinical conditions, 57 (le)
**Planning**
Long-range planning—past, present, and future, 235
**Plasma aluminum levels, circulating**
Circulating aluminum effect on biodistribution of Tc-99m-Sn-diphosphonate in rats, 160
**Pulmonary embolism**
Venography technique for detection of DVT, 123
**Quality control**
Circulating aluminum effect on biodistribution of Tc-99m-Sn-diphosphonate in rats, 160
Design and validation of a radiochromatogram scanner with analog and digital output, 222
Determining cause of NaI crystal breakage, 44
Distribution of unbound reduced technetium-99m in animals, 37
Effect of technetium-99m on a computerized tomography scan, 231
Flood images under clinical conditions, 57 (le)
Methodology for preparing pediatric dose of Tc-99m MAA for pulmonary perfusion studies, 94
Tc-99m MAA: desired number of particles for pulmonary perfusion studies, 33
**Radiation reduction techniques**
1979 analysis of nuclear medicine personnel radiation monitoring data, 123
**Radiation safety**
A fingertip shield for safe and effective disinfection of a radiopharmaceutical vial, 228
1979 analysis of nuclear medicine personnel radiation monitoring data, 123
Hazards of I-131 use, 57 (le)
Hazards of I-131 use (reply), 57 (le)
Precaution for minimizing radiation exposure from iodine vaporization, 90
Radiation safety in nuclear medicine laboratory, 87
Systematic procedure for radioactive waste disposal, 40
**Radiation therapy**
Hazards of I-131 use, 57 (le)
Hazards of I-131 use (reply), 57 (le)
Precaution for minimizing radiation exposure from iodine vaporization, 90
**Radioactive waste**
Systematic procedure for radioactive waste disposal, 40
**Radioassay**
Radiation safety in nuclear medicine laboratory, 87
**Radionuclide tomography**
Multiplane tomographic imaging of pancreas, 28
**Radionuclide ventriculography**
Radionuclide ventriculography, 127
**Radiopharmacy**
Circulating aluminum effect on biodistribution of Tc-99m-Sn-diphosphonate in rats, 160
Methodology for preparing pediatric dose of Tc-99m MAA for pulmonary perfusion studies, 94
Tc-99m MAA: desired number of particles for pulmonary perfusion studies, 33
**Red blood cell washing**
Washing red blood cells, 127

**Right ventricular ejection fraction**
Radionuclide assessment of right ventricular ejection fraction using pre-processed multiple gated equilibrium scintigraphy, 122
**Scanner**
Multichannel analyzer interface for rectilinear scanner, 97
**Scanner, chromatography**
Design and validation of a radiochromatogram scanner with analog and digital output, 222
**Schilling test**
Modification of the Schilling test for pediatric studies, 165
**Scientific presentations**
A simple inexpensive technique for making slides, 233
**Scintillation camera**
Determining cause of NaI crystal breakage, 44
Flood images under clinical conditions, 57 (le)
Production of dynamic persistence displays using a computer, 162
Uniformity correction circuitry: effects of extraneous acquisition errors, 125
Ventilation and clearance of sinus and middle ear using xenon-133, 23
**Scintillation camera, magnification**
Evaluation of three different pinhole apertures for large field of view cameras, 125
Magnification scintigraphy—improved detection and localization of bony abnormalities in back and hip pain, 123
**Scintillation camera, mobile**
Cardiovascular nuclear medicine in CCU, 121
**Shielding**
A fingertip shield for safe and effective disinfection of a radiopharmaceutical vial, 228
Radiation safety in nuclear medicine laboratory, 87
**Sinus**
Ventilation and clearance of sinus and middle ear using xenon-133, 23
**Spleen, autotransplant**
Sequential scintigraphic evaluation of splenic autotransplant, 126
**Style manual**
JNMT style manual, 168
**Systemic lupus erythematosis**
Quantification of aseptic bone necrosis in lupus patients, 124
**Technetium-99m**
A small scintillation camera for imaging in one dimension, 213
Distribution of unbound reduced technetium-99m in animals, 37
Effect of technetium-99m on a computerized tomography scan, 231
Significance of photon-deficient areas in radionuclide bone scans, 208
**Technetium-99m-antimony trisulfide colloid**
Internal mammary lymphoscintigraphy: a technical viewpoint, 203
**Technetium-99m-DTPA**
Cost control and effective utilization of tin pyrophosphate for high quality blood pool scintigraphy, 128
Radionuclide ventriculography, 127
**Technetium-99m-MAA**
Hepatic perfusion mapping using Tc-99m-MAA, 126
Methodology for preparing pediatric dose of Tc-99m MAA for pulmonary perfusion studies, 94
Tc-99m MAA: desired number of particles for pulmonary perfusion studies, 33
**Technetium-99m-MDP**
Magnification scintigraphy—improved detection and localization of bony abnormalities in back and hip pain, 123
Quantification of aseptic bone necrosis in lupus patients, 124
Quantitation of 24 hour skeletal uptake of Tc-99m MDP—new approach, 124
**Technetium-99m-MDP, stabilized and unstabilized**
Differences between Tc-99m-MDP, stabilized and unstabilized, 127
**Technetium-99m-microspheres**
Venography technique for detection of DVT, 123
**Technetium-99m-pyrophosphate**
In vivo labeling of Tc-99m-pyrophosphate to red blood cells, 127
**Technetium-99m-Sn-diphosphonate**
Circulating aluminum effect on biodistribution of Tc-99m-Sn-diphosphonate in rats, 160
**Technetium-99m-sulfur colloid**
Detection and localization of active GI hemorrhage with Tc-99m sulfur colloid, 125
Scanning for GI bleeding with Tc-99m-sulfur colloid, 126
Sequential scintigraphic evaluation of splenic autotransplant, 126
Technique of dual radionuclide gastric scintigraphy (liquid-solid gastric radionuclide emptying), 126
**Technetium-99m-sulfur colloid, heat-damaged red blood cells**
Multiple radiopharmaceutical approach to situs inversus, 118
**Thallium-201**
Cardiac tomography using rotating slant hole collimator and portable camera, 121
**Thallium-201, stress scan**
Method for obtaining reproduceable thallium myocardial tomograms, 122
Positioning for 7 pinhole cardiac tomography, 122
Predicting anatomic location of coronary artery obstruction by quantitative stress thallium scintigraphy, 122
**Therapy**
Hazards of I-131 use, 57 (le)
Hazards of I-131 use (reply), 57 (le)
**Thyroid**
Hazards of I-131 use, 57 (le)
Hazards of I-131 use (reply), 57 (le)
Is the TRH stimulation test really useful? 125
Precaution for minimizing radiation exposure from iodine vaporization, 90
**Thyrotropin test**
Is the TRH stimulation test really useful? 125
**Tomography, computerized axial**
Effect of technetium-99m on a computerized tomography scan, 231
Radionuclide ventriculography, 127
**Tomography, emission**
Quantitative scanning technique using positron computed tomography, 123
**Tomography, heart**
Cardiac tomography using rotating slant hole collimator and portable camera, 121
Method for obtaining reproduceable thallium myocardial tomograms, 122
Positioning for 7 pinhole cardiac tomography, 122
**Tomography, physiologic**
Quantitative scanning technique using positron computed tomography, 123
**Uniformity correction**
Uniformity correction circuitry: effects of extraneous acquisition errors, 125
**Vascular system**
Production of dynamic persistence displays using a computer, 162
**Venogram, lower extremity**
Venography technique for detection of DVT, 123
**Ventilation**
Ventilation and clearance of sinus and middle ear using xenon-133, 23
**Vial disinfection**
A fingertip shield for safe and effective disinfection of a radiopharmaceutical vial, 228
**Video cassette**
Gamma camera image recording on video cassette, 216
**Xenon-133**
Extra-pulmonary accumulation of xenon-133 gas, 158
Ventilation and clearance of sinus and middle ear using xenon-133, 23

# *JNMT*
# 1980 Author Index


Aguilar, F, 123
Alavi, A, 126
Alderson, PO, 124, 127
Aldridge, RE, 87, 244
Alexander, GW, Jr, 235
Andrews, T, 122
Applegate, G, 126

Balon, R, 121
Bandini, P, 126
Bayer, PL, 123
Berman, D, 122
Bialek, M, 122
Bontemps, R, 121
Bowen, RD, 125
Brachman, M, 125
Brady, TJ, 122
Brooks, AC, 28
Buckley, M, 208
Buckrucker, T, 122
Byrom, E, 121

Capuzzi, JP, 50
Chapman, D, 125
Chopp, M, 231
Christian, PE, 211
Christie, JH, 23
Cianci, ML, 244
Clare, JM, 122
Coleman, RE, 211
Conklin, JJ, 124
Conn, DS, 124
Cradduck, TD, 57
Crucitti, TW, 208
Cuevas, J, 122

Dalisay, M, 124
Davies, ER, 162
Davis, R, 123
Dranbauer, BJ, 125
Drew, H, 127
Dukes, A, 28

Ediss, C, 97, 213
Ensminger, WD, 126
Erickson, CJ, 127
Ernstthal, HL, 243
Esser, PD, 124

Fain, JW, 128
Fawwaz, RA, 124
Felix, MJ, 47
Fisher, RS, 126
Fraker, T, 122
Frank, ED, 125
Frank, P, 37
Freeman, LM, 121
Freeman, M, 122

Gallamore, GD, 178
Garcia, E, 122, 125
Gaspard, CL, 28
Gaston, EL, 28
Gentile, C, 47
Giardina, SM, 233
Gillmeister, D, 122
Gober, AM, 124
Goldstein, HA, 50, 126
Goodenday, L, 122
Grant, R, 123
Gray, JE, 125
Gupta, SM, 208

Harris, CC, 211
Hartson, M, 231
Hendershott, L, 118
Herrera, NE, 208
Herrin, WF, 23
Heyert, M, 177
Hines, HH, 222
Hodges, HD, 87
Holtgrieve, C, 122
Hughes, JA, 165

Jackson, PC, 162
Jansen, AA, 241
Jansholt, A-L, 222
Jaresko, GS, 160

Kelly, M, 127
Kelty, NL, 124
Kemper, KW, 158
Keyes, JW, 124
Kirchner, FR, 23
Koch, K, 126
Koester, LM, 37
Kontzen, FN, 241
Kowalsky, RJ, 178
Kozar, J, III, 228
Krohn, KA, 222
Kulkarni, MV, 125

Langan, J, 127
Lanoie, Y, 123
Laven, DL, 127
Law, J, 228
Leeper, MA, 37
Leighton, R, 122
Leitl, G, 127
Levine, G, 33, 94
Lin, SC, 44

Maddahi, J, 122
Maguire, WJ, 40, 90
Malhi, B, 94
Malmud, LS, 126
Man SFP, 213
Markwell, K, 121
Matsuoka, D, 122
Mazzetti, C, 94
McKeown, JA, 244
McQuarrie, SA, 213
Mena, I, 128
Merchant, SL, 127
Merkin, JJ, 123
Miller, J, 123
Miller, KL, 57
Morgan, ES, 125

Nelson, A, 122
Newcomer, K, 125
Nickoloff, EL, 125, 127
Niederhuber, JE, 126

Panduranga, A, 208
Papanicolaou, N, 123
Park, C, 126
Patel, J, 126
Patton, JA, 125
Pavel, DG, 121, 160
Payne, SL, 123
Persico, TA, 233
Pitt, B, 122
Pollack, RS, 47, 57, 245
Powell, ME, 122
Powers, TA, 127
Prato, FS, 121, 128
Preston, DF, 23

Qualls, L, 118

Randall, NJ, 216
Reed, KA, 127
Reeder, MS, 165
Reese, L, 121, 128
Reilley, J, 126
Robinson, RG, 23
Robinson, WL, 123
Rock, E, 126
Rogers, WL, 122, 124
Rosenfeld, S, 118

Samuel, A, 123
Schmidt, F, 40
Scott, DJ, 241
Shipman, AJ, 125
Siegel, E, 125
Silberstein, EB, 165
Skubic, SE, 123
Smith, NL, 127
Spies, SM, 122, 160
Steingart, R, 121
Study, KT, 127
Semida, R, 123

Taliaferro, CW, 243
Talley, DJ, 30
Taylor, F, 128
Thomas, D, 228
Thomas, K, 203
Thomas, SR, 165
Thompson-Spangler, NA, 127
Thrall, JH, 122, 124, 126
Touya, JJ, 125, 127
Treves, S, 123
Turner, JR, 216
Tuscan, MJ, 126

Van Train, K, 122
Vera, DR, 222

Wallas, CH, 127
Warren, RL, 127
Waxman, A, 122, 125
Wegst, AV, 23
Weigand, P, 21, 50, 51, 85, 120, 154, 178, 202
Wexler, J, 121
Wheeler, N, 122
White, S, 118
Wilde, P, 162
Wilken, DA, 125
Wilkins, K, 121, 128
Willi, U, 123
Williams, PJ, 165
Wolczak, DF, 233
Worthington, KC, 124
Wynant, GE, 155

Yipintsoi, T, 121

Zimmer, AM, 160
Zimmer, K, 122